Definite Tx Drug: Treatment may be based on stage or severity of disease, and for oncology on histologic and molecular subtypes, as well as co-morbid conditions; treatments listed in this category are considered appropriate for that condition, but may not be used in all patients

Possible Tx Drug: Treatments listed for potential secondary conditions (secondary condition listed in parentheses) directly related to the primary condition or its treatment

Bladder Cancer

BCG

Cisplatin

Doxorubicin

Fluorouracil

Gemcitabine

Methotrexate

Mitomycin

Paclitaxel

Peginterferon Alfa-2A (Pegasys)

Peginterferon Alfa-2A (Pegasys Proclick)

Pegainterferon Alfa 2B (Peg-Intron)

Pegainterferon Alfa 2B (Peg-Intron Redipen) Vinblastine

Aprepitant (nausea, vomiting)

denosumab

Dexamethasone (nausea, vomiting)

diphenhydramine

erythropoietin (anemia)

filgrastim (neutropenia)

Fosaprepitant (nausea, vomiting)

Ondansetron (nausea, vomiting)

peg-filgrastim (neutropenia)

Prochlorperazine (nausea, vomiting)

ranitidine

zolendronic acid

Breast Cancer

5-fluorouracil

ado-trastuzumab

anastrazole

capecitabine

carboplatin

cyclophosphamide

docetaxel

doxorubicin

epirubicin

eribulin

everolimus

exemestane

fulvestrant

acmoitabin

gemcitabine

goserelin

ixabepilone

lapatinib letrozole

megestrol acetate

nab-paclitaxel

paclitaxel

pamidronate

pertuzumab

tamoxifen

trastuzumab

vinorelbine

zoledronic acid

Tamoxifen Citrate (brand name Nolvadex · Soltamox)

aprepitant (nausea, vomiting)

Denosumab

dexamethasone (nausea, vomiting)

dexrazoxane (cardiomyopathy)

diphenhydramine

erythropoietin (anemia)

filgrastim (neutropenia)

fosaprepitant (nausea, vomiting)

Ibandronate (bone loss)

ondansetron (nausea, vomiting)

peg-filgrastim (neutropenia)

Prochlorperazine (nausea, vomiting)

ranitidine

sargramostim (neutropenia)

Definite Tx Drug: Treatment may be based on stage or severity of disease, and for oncology on histologic and molecular subtypes, as well as co-morbid conditions; treatments listed in this category are considered appropriate for that condition, but may not be used in all patients

Possible Tx Drug: Treatments listed for potential secondary conditions (secondary condition listed in parentheses) directly related to the primary condition or its treatment

Esophageal Cancer

5-fluorouracil capecitabine carboplatin cisplatin

docetaxel epirubicin irinotecan leucovorin oxaliplatin

paclitaxel

Aprepitant (nausea, vomiting)

Atropine (diarrhea)

denosumab

Dexamethasone (nausea, vomiting)

diphenhydramine erythropoietin (anemia)

Fosaprepitant (nausea, vomiting)

Loperamide (diarrhea)

Ondansetron (nausea, vomiting) Prochlorperazine (nausea, vomiting)

ranitidine zolendronic acid

Female Infertility

bromocriptine

choriogonadotropin (recombinant HCG) chorionic gonadotropin, human menotropins

clomiphene

follitropin alfa follitropin beta

metformin

progesterone vaginal gel

urofollitropin

Hepatic Steatosis

pioglitazone vitamin E

Kidney Cancer

Axitinib

Bevacizumab Calcium acetate Capecitabine

Calcitrol

Everolimus

Gemcitabine

Isofamide

Interferon-alpha

Interleukin-2

Pazopanib

Peginterferon Alfa-2A (Pegasys)

Peginterferon Alfa-2A (Pegasys Proclick)

Peginterferon Alfa-2B (Peg-Intron)

Peginterferon Alfa-2B (Peg-Intron Redipen)

Sorafenib

denosumab

erythropoietin (anemia)

Definite Tx Drug: Treatment may be based on stage or severity of disease, and for oncology on histologic and molecular subtypes, as well as co-morbid conditions; treatments listed in this category are considered appropriate for that condition, but may not be used in all patients

Possible Tx Drug: Treatments listed for potential secondary conditions (secondary condition listed in parentheses) directly related to the primary condition or its treatment

Kidney Cancer (Continued)

Sunitinib Tegafur

Temsirolimus

Leukemia

6-mercaptopurine

6-thioguanine

alemtuzumab

arsenic trioxide

asparaginase

ATRA (all-trans retinoic acid

azacytidine

bendamustine

bosutinib

chlorambucil

cladribine

cyclophosphamide

cytarabine

dasatinib

daunorubicin

decitabine

dexamethasone

doxorubicin

etoposide

fludarabine

hydroxyurea

idarubicin

imatinib

lenalidomide

mesna

methotrexate

mitoxantrone

nilotinib

ofatumumab

omacetaxine

pentostatin

ponatinib

prednisone

rituximab

vincristine

allopurinol (tumor lysis syndrome) aprepitant (nausea, vomiting) asburicase (tumor lysis syndrome)

Dexamethasone Ophtho soln (conjunctivitis)

erythropoietin (anemia)

filgrastim (neutropenia)

Fosaprepitant (nausea, vomiting) ondansetron (nausea, vomiting) peg-filgrastim (neutropenia)

Prochlorperazine (nausea, vomiting)

rasburicase

sargramostim (neutropenia)

Definite Tx Drug: Treatment may be based on stage or severity of disease, and for oncology on histologic and molecular subtypes, as well as co-morbid conditions; treatments listed in this category are considered appropriate for that condition, but may not be used in all patients

Possible Tx Drug: Treatments listed for potential secondary conditions (secondary condition listed in parentheses) directly related to the primary condition or its treatment

Lung Cancer

Non-small cell

Afatinib

Bevacizumab

Carboplatin

Cetuximab

Cisplatin

Crizotinib

Docetaxel

Erlotinib

Etoposide

Liopoolao

Gemcitabine

Irinotecan

Paclitaxel

Pemetrexed Vinorelbine

Zoledronic acid

Small Cell

Carboplatin

Cisplatin

cyclophosphamide

doxorubicin

Epirubicin

Etoposide

Irinotecan

Topotecan

vincristine

Aprepitant (nausea, vomiting)

denosumab

Dexamethasone (nausea, vomiting)

diphenhydramine

erythropoietin (anemia)

filgrastim (neutropenia)

folic acid

Fosaprepitant (nausea, vomiting)

Ondansetron (nausea, vomiting)

peg-filgrastim (neutropenia)

ranitidine

sargramostim (neutropenia)

vitamin B12

zolendronic acid

Aprepitant (nausea, vomiting)

denosumab

Dexamethasone (nausea, vomiting)

erythropoietin (anemia)

filgrastim (neutropenia)

Fosaprepitant (nausea, vomiting)

Ondansetron (nausea, vomiting)

peg-filgrastim (neutropenia)

sargramostim (neutropenia)

zolendronic acid

Miscarriage

mifepristone misoprostol

Multiple Myeloma

Bortezomib

Carfilzomib

Cyclophosphamide

Dexamethasone

Doxorubicin

Melphalan

Lenalidomide

Acyclovir (herpes virus prophylaxis)

denosumab

erythropoietin (anemia)

Valacyclovir (herpes virus prophylaxis)

Definite Tx Drug: Treatment may be based on stage or severity of disease, and for oncology on histologic and molecular subtypes, as well as co-morbid conditions; treatments listed in this category are considered appropriate for that condition, but may not be used in all patients

Possible Tx Drug: Treatments listed for potential secondary conditions (secondary condition listed in parentheses) directly related to the primary condition or its treatment

Multiple Myeloma (Continued)

Pegylated liposomal doxorubicin

Pomalidomide

Prednisone

Thalidomide

Vincristine

Ondansetron

Myelodysplastic Syndromes

Antithymocyte globulin

Azacitadine

Cyclosporine

Darbopoetin

Decitabine

Epoetin

filgrastim

Lenalidomide

peg-filgrastim

Deferasirox (iron chelation)
Deferoxamine (iron chelation)

benzotropine (extrapyramidal symptoms)

trihexyphenidyl (extrapyramidal symptoms)

Neurobehavioral effects

Aripiprazole

bupropion

buspirone

carbamazepine

citalopram

clonazepam

clozapine

dextroamphetamine

diazepam

duloxetine

fluoxetine

lamotrigine

liothyronine

lithium

Iorazepam

methylphenidate

mirtazapine

olanzapine

paliperidone

paroxetine

phenelzine

quetiapine

Version 1 | Department of Veterans Affairs

Definite Tx Drug: Treatment may be based on stage or severity of disease, and for oncology on histologic and molecular subtypes, as well as co-morbid conditions; treatments listed in this category are considered appropriate for that condition, but may not be used in all patients

Possible Tx Drug: Treatments listed for potential secondary conditions (secondary condition listed in parentheses) directly related to the primary condition or its treatment

Neurobehavioral effects (Continued)

risperidone

selegeline transdermal

sertraline

temazapam

tranylcypromine

valproate

venlafaxine

Non-Hodgkin's Lymphoma

alemtuzumab

bendamustine

bleomycin

bortezomib

brentuximab vedotin

carboplatin

chlorambucil

cisplatin

cladribine

cyclophosphamide

cyclosporine

cytarabine

dexamethasone

doxorubicin

epirubicin

epoietin

etoposide

fludarabine

gemcitabine

ifosfamide

lenalidomide

leucovorin

mesna

methotrexate

mitoxantrone

oxaliplatin

pralatrexate

prednisone

rituximab

rasagiline

romidepsin

vincristine

aprepitant (nausea, vomiting)

denosumab

diphenhydramine (hypersensitivity)

erythropoietin (anemia)

filgrastim (neutropenia)

fosaprepitant (nausea, vomiting)

ondansetron (nausea, vomiting)

peg-filgrastim (neutropenia)

prochlorperazine (nausea, vomiting)

sargramostim (neutropenia)

Definite Tx Drug: Treatment may be based on stage or severity of disease, and for oncology on histologic and molecular subtypes, as well as co-morbid conditions; treatments listed in this category are considered appropriate for that condition, but may not be used in all patients

Possible Tx Drug: Treatments listed for potential secondary conditions (secondary condition listed in parentheses) directly related to the primary condition or its treatment

Renal Toxicity

azilsartan

calcitriol

calcium acetate

calcium carbonate

CA carbonate/Vitamin D3/Vit K (Citracal)

CA citrate/MGOX/Vit D3/B6/MIN (Citracal)

Cal Cit/Mag/D3/ZN/Cop/Mang/Bor

Calcium Carb&Cit/Vit D3 (Citracal +D)

Calcium Carb&Cit/D3/Phytostrol (Citracal+Heart

Health

Calcium Citrate (Citracal)

Calcium Citrate (Citracal Liquitab)

Calcium Citrate/Vit D3 (Citracal+D)

Calcium Citrate/Vit D3 (Citracal-Vit D)

Calcium Citrate/Vit D3 (Citracal Creamy Bites)

Calcium Citrate/Vit D3 (Citracal+Vit D)

Calcium CRB&Cit/D3/Min34/Genis (Citracal+Bone

Density

Calcium Phosphate Trib/VitD3 (Citracal -Vit D)

candesartan

captopril

cholecalciferol

cinacalcet

darbepoetin alfa

doxercalciferol

enalapril

epoetin alfa

eprosartan

ergocalciferol

ferric carboxymaltose

ferric sodium gluconate

ferrous fumarate

ferrous gluconate

ferrous sulfate

ferumoxytol

fosinopril

irbesartan

iron dextran (low molecular weight)

iron sucrose

lanthanum carbonate

lisinopril

Iosartan

Definite Tx Drug: Treatment may be based on stage or severity of disease, and for oncology on histologic and molecular subtypes, as well as co-morbid conditions; treatments listed in this category are considered appropriate for that condition, but may not be used in all patients	Possible Tx Drug: Treatments listed for potential secondary conditions (secondary condition listed in parentheses) directly related to the primary condition or its treatment
Renal Toxicity (Continued) olmesartan paricalcitol perindopril quinapril ramipril sevelamer carbonate telmisartan trandolapril valsartan	

valsartan	
Scleroderma	
acetaminophen	pancreatic enzymes (Pancreatic insufficiency)
ambrisentan	
amlodipine	
amoxicillin - clavulanate	
antithymocyte globulin	
azathioprine	
benazepril	
betamethasone	
bosentan	
brompheniramine	
bumetanide	
captopril	
carbinoxamine	
celecoxib	
cetirizine	
chlorpheniramine	
cholestyramine	
cimetidine	
ciprofloxacin	
clemastine	
cyclophosphamide	
cyproheptadine	
desloratidine	
dexbrompheniramine	
dexchlorpheniramine	
dexlansoprazole	
diclofenac	
diltiazem	
diphenhydramine	
enalapril	
eplerenone	
epoprostenol	

Definite Tx Drug: Treatment may be based on stage or severity of disease, and for oncology on histologic and molecular subtypes, as well as co-morbid conditions; treatments listed in this category are considered appropriate for that condition, but may not be used in all patients

Possible Tx Drug: Treatments listed for potential secondary conditions (secondary condition listed in parentheses) directly related to the primary condition or its treatment

Scleroderma (Continued)

erythromycin

esomeprazole

ethacrynic acid

etodolac

famotidine

fenoprofen

fexofenadine

flurbiprofen

fosinopril

furosemide

hydroxyzine

Hydroxychloroquine

ibuprofen

iloprost inh

imiquimod

indomethacin

ketoprofen

ketorolac oral

lansoprazole

levocetirizine

lisinopril

loperamide

Ioratadine

meclofenamate

mefenamic acid

meloxicam

methotrexate

methylprednisolone

metoclopramide

metolazone

metronidazole

minocycline

mycophenolate

nambumetone

naproxen

nifedipine

nizatidine

omeprazole

oxaprozin

pantoprazole

perindopril

piroxicam

prednisolone

Definite Tx Drug: Treatment may be based on stage or severity of disease, and for oncology on histologic and molecular subtypes, as well as co-morbid conditions; treatments listed in this category are considered appropriate for that condition, but may not be used in all patients	Possible Tx Drug: Treatments listed for potential secondary conditions (secondary condition listed in parentheses) directly related to the primary condition or its treatment	
Scleroderma (Continued) prednisone promethazine quinapril rabeprazole ramipril ranitidine sildenafil spironolactone sulindac tacrolimus tadalafil tetracycline tolmetin torsemide trandolapril treprostinil triamcinolone trimethoprim		
warfarin	to a Comment Constition	
Analgesics for Pain Due to a Covered Condition		
Amitriptyline Baclofen Bupivacaine Buprenorphine Patch Butorphanol Nasal Spray Capsaicin Carbamazepine Citalopram Clonidine Codeine / Acetaminophen Cyclooxygenase-2 (Cox 2) (Celebrex) Desipramine Dextromethorphan Dihydrocodeine / Acetaminophen Dihydrocodeine / Aspirin Doxepin Duloxetine Fentanyl Gabapentin Hydrocodone / Acetaminophen Hydrocodone / Ibuprofen		

Definite Tx Drug: Treatment may be based on stage or severity of disease, and for oncology on histologic and molecular subtypes, as well as co-morbid conditions; treatments listed in this category are considered appropriate for that condition, but may not be used in all patients

Possible Tx Drug: Treatments listed for

Analgesics for Pain Due to a Covered Condition (Continued)

Hydromorphone

Imipramine

Levorphanol

Lidocaine Patch

Methadone

Morphine

Morphine & Atropine

Nortriptyline

Oxycodone

Oxycodone / Acetaminophen

Oxycodone / Aspirin

Oxycodone / Ibuprofen

Oxymorphone

Paroxetine

Pentazocine / Acetaminophen

Pentazocine / Naloxone

Phenytoin

Pregabalin

Ropivacaine

Tapentadol

Topiramate

Tramadol

Tramadol / Acetaminophen

Venlafaxine

potential secondary conditions (secondary condition listed in parentheses) directly related to the primary condition or its treatment





U.S. Department of Veterans Affairs

Veterans Health Administration Chief Business Office Purchased Care Camp Lejeune Family Member Program